BIBLIOGRAPHY

1. Ahmad, M., Qureshi, R., Arshad, M., Khan, M. A. and Zafar, M. 2009. Traditional herbal remedies used for the treatment of diabetes from district Attock (Pakistan). Pak. J. Bot.**;41(6):** 2777-2782.
2. Ahmed, M.M., S. Bassem, A.A.E. Amany, A.E. Ahmed, A.A. Fahad.2010. Protective Effects of Nigella ,Sativa Oil on Propoxur-Induced Toxicity and Oxidative Stress in Rat Brain Regions. Pesticide Biochemistry and Physiology**;98(1):** 128-134.
3. Al-Amin, ShahabuddinKabirChoudhuri,Biplapkumar Das, J.M.A.Hannan.2013.Toxicological and Pharmacological Effect of *Khadiraristai*n Animal Model. JoAYUSH**; 2(2) :** 61-67.
4. Beris H.1991. Antioxidant effects: A basis of drug selection. Drugs**;42:** 569- 605.
5. Bergmeyer, H. U., Horder, M. and Rey, J. (1986a) Approved recommendation on IFCC methods for the measurement of catalytic enzymes. Part 2: IFCC method for aspartate aminotransferase. Journal of Clinical Chemistry and Clinical Biochemistry 24, 497–510.
6. Bloch A, Thomson CA.1995.Position of The American Dietetic Association (phytochemicals and functional foods). J Am Diet Assoc**;95:** 493–496.
7. Bonilla J., Atares L., Chiralt A, Vargas M.2011.Use of antioxidant agents in food. Recent pat food nutr. Agric**; 3(2):**123-132.
8. Chang C., Yang M., Wen H. and J. Chern .2002. Estimation of total flavonoids content in Propilis by two complementary colorimetric methods. J. Food Drug Analysis**; 10:** 178-182.
9. Cheplick, S., Kwon, Y. I., Bhowmik, P. and Shetty, K. 2010. Phenolic-linked variation in strawberry cultivars for potential dietary management of hyperglycemias and related complications of hypertension. Biores. Tech**; 101(1):** 404-413.
10. Cristina Lanza,, Stefania Raimondo, Laura Vergani,Nunzio catena,Filippo Senes,Pierluigi Tos,Stefano Geuna.2012. Expression of antioxidant molecules after peripheral nerve injury and regeneration. Journal of Neuroscience Research**; 90(4):**842-848.
11. Clairborne A.1985. Catalase activity. In: Greenwald R.A. (ed).CRC handbook of methods for oxygen radical research.CRC PressInc.BocaRaton, Florida, USA**; (1):**283-284.
12. De Lau, L.M.; Koudstaal, P.J.; Witteman, J.C.; Hofman.2006. A Breteler, M.M., Dietary folate, vitamin B12, and vitamin B6 and the risk of Parkinson disease. Neurology**; 67 (2):** 315-318.

13. Dash DK, Yeligar VC, Nayak SS, Ghosh T, Rajalingam D, Sengupta P, Maiti BC, Maity TK.2007 .Evaluation of hepatoprotective and antioxidant activity of Ichnocarpusfrutescens(Linn.) R.Br. on paracetamol-induced hepatotoxicity in rats, Tropical Journal of Pharmaceutical Research**;6(3):**755-765.

14. Dua P.A. and Patankar S.D.2013. Antibacterial evaluation of some common medicinal plants used in asava and arishta preparation .International journal of science and pharmaceutical research;***4(8):*** *3250-3255*

15. DurairajAshokkumar, UpalkantiMazumder,MalayaGupta,GPSenthikumar,VaiyapuriThamilSelvan 2008. Evaluation of Antioxidant and Free radical scavenging activities of Oxystelmaesculentum in various in vitro models. Journal of complementary and integrative medicine**; 5(1):** 1553-3840

16. DushingYogesh A. and Laware S.L.2012.Antioxidant assessment of ashokarishta-a fermented polyherbalayurvrdicformulation.journal of pharmacy research**; 5(6):**3165-3168.

17. Elizabeth K. and M. N. A. Rao.1992.Oxygen radical scavenging activity of cur cumin. IntJ.Pharmaceut**;58(3):** 237-240.

18. Farkas G.L. and Z. Kiraly.1962. Role of phenolic compounds in the physiology of plant disease and disease resistance. Phytopathol**; 44:** 105-150.

19. .Firuzi, Javidnia, K., Gholami, M., Soltani, M.; Miri, R. 2010. Antioxidant activity and total phenolic content of 24 Lamiaceae species growing in Iran.Nat Prod Commo**; 5(2):**261-264.

20. Ganapaty S., Chandrashekhar V.M., Chimate H.R. and N. M. Lakashmi.2007.Free radical scavenging activity of gossypin and nadensin: an in vitro evaluation. Indian J.Pharmacol**; 39(6):** 281-283.

21. Ghosh A. K., Bhargava S. N. and R. N. Tandon. 1966. Studies on fungal diseases of some tropical fruits. VI. Post infection change in ascorbic acid contents of mango and papaya. Indian Phytopath**; 19:** 262-266.

22. Govindarajan R., D. P. Singh and A. K. S. Rawat .2008. Validated RP–LC Method for Standardization of AshokArishta: A Polyherbal Formulation. Chromatographia**;68(9-10):** 873–876.

23. GulamWaris and HaseebAhsan. 2006. Studies on Reactive oxygen species: role on the development of cancer and various chronic conditions. Journal of carcinogenesis**;5(1):**1- 14.

24. Gulcin I., Oktay M., Kufrayviolglu O.I. and A. Aslan .2002 Determinations of antioxidant activity of lichen Cetrariaislandica (L) Ach. J Ethnopharmacol**; 79(3):** 325-329.

25. Halliwell B.1992.Reactive oxygen species and the central nervous system. Journal of neurochemistry**;59(5):** 1609-23.

26. Huxley, R.R.; Neil, H.A.2003. The relation between dietary flavonol intake and coronary heart disease mortality: a meta-analysis of prospective cohort studies. Eur J ClinNutr**; 57 (8):** 904-908.

27. Hideaki Kaneto, Yoshitaka Kajimoto, Jun-ichiroMiyagawa, Taka-aki Matsuoka, Yoshio Fujitani,YutakaUmayaohara, Toshiaki Hanafusa, Yuji Matsuzawa, Yoshimitsu Yamasaki, and Masatsugu Hori.1999. Beneficial Effects of Antioxidants in Diabetes Possible Protection of Pancreatic b-Cells against Glucose toxicity. Diabetes**; 48:** 2398-2406.

28. Jayaprakasha G.K., Rao L.J., K.K. Sakariah .2004.Antioxidant activities of flavidin in different in vitro model systems. Bioorganic and Medical Chem.**; 12(24):** 5141-5146.

29. Khalid Rahman.2007.Studies on free radicals, antioxidant, and co-factors. Clinical interventions in Aging**;2(2):** 219-236.

30. Kwon, Y. I., Vattem, D. V. and Shetty, K. 2006. Evaluation of clonal herbs of Lamiaceae species for management of diabetes and hypertension. Asia Pac. J. Clin. Nutr**; 15(1):** 107–118.

31. Marcocci L., Packer L, etal.1994. Antioxidant action of ginkgo biloba extract EGB 761.Methods Enzymol**; 234:**462-475.

32. Manisha K.Gharate, Rohan Pawar, Veena Kasture, Rupali Patil .2011.Evaluation of quantitative parameter so aurvedic formulation:kankasava. International Journal of Pharmacy and Pharmaceutical Sciences**; 3(1):**43-45.

33. Montonen, J., Knekt, P., Jarvinen, R. and Reunanen, A. 2004 .Dietary antioxidant intake and risk of type 2 diabetes. Diab. Care**; 27(2):** 362–366.

34. Nelson N. C.1994. A photometric adaptation of the Somogyi method for determination of glucose. J. Biol. Chem.**; 153:**375-380.

35. Nishimiki M., Rao N.A. and K. Yagi.1972.The occurrence of superoxide anion in the reaction of reduced phenazinemethosulphate and molecular oxygen. BiochemBiophys Res Commun; **46:**849-853.

36. Nagulendran K, Velavan S, Mahesh R, Begum VH.2007. In vitro antioxidant activity and total polyphenolic content of Cyperusrotundus rhizomes, E-Journal of Chemistry**; 4(3):** 440-449.

37. Ohkawa H, Ohishi N, Yagi K.1979.Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. Anal Biochem**; 95(2):**351-358.

38. Pinto, M.D.S. and Shetty, K. 2010.Health Benefits of Berries for Potential Management of Hyperglycemia and Hypertension. In: Flavor and Health Benefits of Small Fruits, ACS Publications, Washington DC, USA**; 8:**121–137.

39. Robert, L., Narcy, A., Rock, E., Demigne, C., Mazur, A. and Remesy, C. 2006. Entire potato consumption improves lipid metabolism and antioxidant status in cholesterol-fed rat. Euro. J. Nutr**.; 45:**267-274.

40. Ramchoun M, Harnafi H, Alem C, Benlys M, Elrhaffari L, Amrani S.2009.Study on antioxidant and hypolipidemic effects of polyphenol rich extract from Thymus vulgaris and Lavendulamultifida, Pharmacognosy Research**; 1(3):** 106-112.

41. Sanchez-Moreo C.,LarrauriJ.A,saura-Calixto F.1999.Free radical scavenging capacity of selected red rose and white wines. Journal of the science of Food and Agriculture**; 79(10):**1301-1304.

42. Shetty, K., Adyanthaya, I., Kwon, Y.I., Apostolidis, E., Min, B.J., Dawson, P .2008. Postharvest enhancement of phenolic phytochemicals in apples for preservation and health benefits. In: Postharvest Biology and Technology of Fruits, Vegetables and Flowers. Wiley-Blackwell Publishing, Ames, Iowa, USA. Chapter; **16:**341-371.

43. Shetty, K. and Wahlqvist, M. L. 2004. A model for the role of the proline-linked pentose-phosphate pathway in phenolic phytochemical bio-synthesis and mechanism of action for human health and environmental applications. Asia Pac. J. Clin. Nutr**.; 13:** 1–24.

44. Simon melov.2002.Therapeutics against mitochondrial oxidative stress in animal models of aging. Annals of the New York academy of sciences**; 959(1):**330-340.

45. SreelaA M ,Ganti y basavaraj , Saokar m reshma.2014. critical analysis on pharmaceutics of alcoholic preprations (asavaarishta)in aurveda**.** JAHM ;**1(9):**15-22.

46. Stocks J, Offerman CB, Modell CB, Dormandy TL.1972. The susceptibility to antioxidation of human red cell lipids in health and disease. Br J Haemotol**; 23(6):** 713-24

47. T. Szkudelski.2001. The Mechanism of Alloxan and Streptozotocin Action in B Cells of the Rat Pancreas. Physiol. Res.**; 50:** 536-546.

48. Urvi Daveand Anup Thakar.2014.Effect of dhatriyarishta in the management of panduroga (iron deficiency anamia).*Int. J. Ayur. PharmaResearch **; 2(1):** 84-91.*

49. Velioglu Y.S, Mazza G., Gao L., and B. D. Oomah .1998. Antioxidant activity and total phenolics in selected fruits, vegetables, and grain products. J. Agric. Food Chem**; 46(24):** 4113-4117.

50. Vidyasekharan P. and P. Durairaj.1973.Shot-hole syndrome in mango. Indian Phytopathology **; 26:** 49-55.

51. VijayaRavinayagam, RavindranJaganathan and ShanthiPalanivelu (2012) Potential Antioxidant Role of Tridham in Managing Oxidative Stress against Aflatoxin-B1-Induced Experimental Hepatocellular Carcinoma. International Journalof hepatology**; 2012:** 1-9.

52. Weerasooriya W.M.B., Liyanage J.A. and Pandya S.S.2006. Quantitative parameters of different brands of Asava and Arishta used in ayurvedic medicine: An assessment. Indian J Pharmacol**; 38 (5):** 365

53. Yamaguchi T, TakamuraH,MatobaT,Terao J.1998. HPLC method for evaluation of the free radical-scavenging activity of foods by using 1, 1-diphenyl-2-picrylhydrazyl.Biosci BiotechnolBiochem**; 62(6):** 1201-4.